Age Portion Size/Component Date: Dat	Infant's Full Name:			CACFP Individual Infant Menu						
Birth - 5 4-6 ft. oz. breastmilk * or formula *	AgeDOB:			Site Name:						
Months 6-11 6-8 ft. oz. breastmilk * or formula * 2		Age	Portion Size/Component							
Months	Breakfast		4-6 fl. oz. breastmilk ¹ or formula ²							
Months 6 - 11 Months 6 - 8 fl. oz. breastmilk ¹ or formula ²			0-4 Tbsp. infant cereal ^{2.3} meat, fish, poultry, whole egg cooked dry beans or peas, or 0-2 oz. cheese, or 0-4 oz. (volume) cottage cheese; or 0-4 oz. or ½ cup of yogurt ⁴ ; or a Combination of the above; and 0-2 Tbsp. vegetable or fruit or a							
Wonths 0-4 Tbsp. infant cereal ²⁻³ meat, fish, poultry, whole egg cooked dry beans or peas, or 0-2 oz. cheese, or 0-4 oz. (volume) cottage cheese; or 0-4 oz. or ½ cup of yogurt⁴; or a Combination of the above; and 0-2 Tbsp. vegetable or fruit or a combination of both⁵.6 6 - 11 Months Birth - 5 Months 4-6 fl. oz. breastmilk ¹ or formula ² FIF/BREASTMILK FIF/BREASTMILK FIF/BREASTMILK FIF/BREASTMILK FIF/BREASTMILK FIF/BREASTMILK FIF/BREASTMILK	Lunch / Supper		4-6 fl. oz. breastmilk ¹ or formula ²							
Months 6 - 11 Months 1		Months	0-4 Tbsp. infant cereal ^{2,3} meat, fish, poultry, whole egg cooked dry beans or peas, or 0-2 oz. cheese, or 0-4 oz. (volume) cottage cheese; or 0-4 oz. or ½ cup of yogurt ⁴ ; or a Combination of the above; and 0-2 Tbsp. vegetable or fruit or a							
or 0-4 Tbsp. infant cereal ^{2 3,4} or Ready-to-eat breakfast cereal ^{3,4,5,6} ;	Snack	<u>Months</u> 6 – 11	2-4 fl. oz. breastmilk ¹ or formula ² 0-1/2 slice of bread ^{3,4}		IFIF/BREASTMILK	FIF/BREASTMILK	IFIF/BREASTMILK			
			or 0-4 Tbsp. infant cereal ^{2 3,4} or Ready-to-eat breakfast cereal ^{3,4,5,6} ;							

0-2 Tbsp. vegetable or fruit or a combination of both^{6,7}

- 3. Beginning October 1, 2019, ounce equivalents are used to determine the quantity of creditable grains.
- 4. A serving of grains must be whole grain-rich, enriched meal, or enriched flour.
- 5. Breakfast cereals must contain no more than 6 grams of sugar per dry ounce (no more than 21.2 grams of sucrose and other sugars per 100 grams of dry cereal.
- 6. A serving of this component is required when the infant is developmentally ready to accept it.

¹ Breastmilk or formula, or portions of both, must be served; however, it is recommended that breastmilk be served in place of formula from birth through 11 months. For some breastfed infants who regularly consume less than the minimum amount of breastmilk per feeding, a serving of less than the minimum amount of breastmilk may be offered, with additional breastmilk offered at a later time if the infant will consume more.

^{2.} Infant formula and dry infant cereal must be iron-fortified.

7. Fruit and vegetable juice must not be served. This institution is an equal opportunity provider

Revised 7/2017